

Application
ZooLac®PROPASTE® is administered when an improved digestion or a more stable intestinal flora is required.




In new situations such as stress, during transport, changes to feed, as a supplement for uncomplicated diarrhoea, etc.



For restoring the intestines e.g. after or together with antibiotic treatment.



Can also be used preventively. **ZooLac®PROPASTE®** is a natural product and cannot be overdosed.



ZooLac®PROPASTE®'s unique composition makes it the best probiotic on the market.




3 actions in one dose.



Unique practical results for over 10 years.



Safe and tested product – highly successful.



ZooLac[®] PROPASTE[®]

High content of probiotics for stabilising the digestion and balancing the bacterial flora in the intestinal tract.

- The best probiotic on the market.
- 3 actions in one dose.
- Unique practical results for over 10 years.
- Safe and tested product – highly successful.

How ZooLac works

Stabilises digestion

ZooLac[®]PROPASTE[®] stabilises the digestion and balances the bacterial flora in the intestinal tract by working with the good bacteria and the animal's own immune system.

Balances intestinal flora

ZooLac[®]PROPASTE[®] contains several types of good and naturally-occurring bacteria with a well-defined effect. The overall effect is therefore very broad and ensures a unique result on the animal.

Controls loss of liquids – rapid effect

ZooLac[®]PROPASTE[®]'s unique composition works mainly by preventing harmful bacteria from attacking the intestinal wall, while the good bacteria attack the harmful ones. The attack is a naturally-occurring action that limits the growth of harmful bacteria.

No resistance development

ZooLac[®]PROPASTE[®]'s unique action means harmful bacteria cannot develop any resistance, which is often the case with antibiotic treatments.

Instructions

ZooLac[®]PROPASTE[®] is administered with the help of a user-friendly syringe, which is essentially the product's packaging. Prior to administration the syringe is set to the required amount, as per the dosage table.

The correct amount of ZooLac[®]Propaste[®] is placed on the animal's tongue or on top of its feed.

The administration itself is simple, because animals tend to like the taste of ZooLac[®]PROPASTE[®].

ZooLac[®]PROPASTE[®] is stored at normal room temperature.

If the product is stored in the fridge, then it must be brought to room temperature prior to administration.

Natural product

ZooLac[®]PROPASTE[®] is a natural product that cannot be overdosed.

Dosage:

Dosage is provided in the table below.

Animal weight	Dosage	Notes from veterinary surgeon
0-10 kg	1ml	
10-25 kg	2 ml	
25 – 50 kg	3 ml	
Over 50 kg	5 ml	